

600 X 600mm

POLISHED
GLAZED
VITRIFIED
TILES



NexceraTM
shaping your imagination...

WALL • VITRIFIED

2018

COMPANY PROFILE

Since our investiture in 2007, Nexcera brought innovations in tiles and provided unique concepts for the well being of home kind. In this 10 years we dealt with trendy concepts with affordable costs. Now, Nexcera presents the edition of Home collection, an extensive prime selection of ideas for the home, from a varied selection of ceramic tiles. Experience the latest and trendy concepts of our wall and floors. Now, Nexcera is empowered with coordinated team work, professional quality and happy services. Visit us to experience enrich quality and superior designs.

OUR EXPORT IN COUNTRIES




Countries we export...

KUWAIT
IRAQ
SAUDI ARABIA
OMAN

QATAR
AUSTRALIA
BRAZIL

SOUTH AFRICA
SRI LANKA
GHANA

KENYA
NEPAL
UAE




ROYAL WHITE

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





BIKANER PINE

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





MINT ONYX

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm






RADO GREY

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm






VATICAN BROWN

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





PRIME BLANCO

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





CORSICA GREY

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





IRIDUMA IVORY

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





JINLER

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





TALVERO BEIGE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





ONYX HONEY

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





CASA BEIGE

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





CARNICO GREY

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





ALASKA DOVE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





CREMA MARFIL

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





LILLY BROWN

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm






TACO BEIGE

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





SHIMLA WHITE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





LUCIDO CHERRY

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm






SEGESTA BEIGE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





JETTA WHITE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm






MARVEL PINE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





KALINA WHITE

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm






ITALIA BEIGE

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





EMPRADOR CLASSIC

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm





SORAYA WHITE

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





PIETRA VERDE

Glossy
SERIES

Nexcera™
shaping your imagination...

600X600mm





CASTLE CREMA

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





HEMLET VERDE

Glossy
SERIES

Nexcera
shaping your imagination™

600X600mm





MELTON BEIGE

Glossy
SERIES

Nexcera
shaping your imagination...

600X600mm



Conformity of Nexcera Vitrified Tiles Technical Specifications

Sr.No	Characteristics	Group B1a-ISO 13006 Annx. G	Nexcera Value	Method of Testing
1.	Deviation in Length & Width	Max. $\pm 0.6\%$	Max. $\pm 0.1\%$	ISO 10545-2
2.	Deviation in Thickness	Max. $\pm 5\%$	Max. $\pm 4\%$	
3.	Straightness of Sides	Max. $\pm 0.5\%$	Max. $\pm 0.1\%$	
4.	Rectangularity (Squareness)	Max. $\pm 0.6\%$	Max. $\pm 0.1\%$	
5.	Surface Flatness	Max. $\pm 0.5\%$	Max. $\pm 0.15\%$	
6.	Surface Quality (%)	A Minimum of 95% tiles shall be free from visible defects that would impair the appearance of a major area of tile	96% free from visible defects	
7.	Modulus Of Rupture	$>35\text{N/mm}^2$	$\geq 37\text{N/mm}^2$	ISO 10545-4
8.	Breaking Strength	$>1300\text{N}$	$>1900\text{N}$	
9.	Water Absorption	$<0.5\%$	$<0.06\%$	ISO 10545-3
10.	Impact Resistance	Test Method available	No Identification	ISO 10545-5
11.	Resistance to Surface abrasion	Report abrasion class & Cycle Passed	PEI class 3	ISO 10545-7
12.	Co-Efficient of Thermal Expansion	$< 9 \times 10^{-6}$	$< 6 \times 10^{-6}$	ISO 10545-8
13.	Crazing Resistance (Glazed Tiles)	Required	Passed 4 Cycles 7.0Kg/cm^2	ISO 10545-11
14.	Frost Resistance	Required	100 Cycle Pass	ISO 10545-12
15.	Chemical Resistance [#]	Manufacturer to state the class	Min GB, GLB, GHB	ISO 10545-13
16.	Stain Resistance [*]	Min Class 3	Min Class 3	ISO 10545-14

Chemical Resistance only for house hold chemicals except HF content

Packing Detail

Dimension (mm)	Thickness (mm)	Pieces / Box	Coverage Area / Box (Sq. Mtr)
600x600	9.0	04	1.44
600x1200	10.0	02	1.44



Manufacturing unit

OMEN VITRIFIED

Head Office : Lakhdirpur Road,
Near Canal, Morbi
Dist.Morbi (Gujarat) INDIA

Contact : Ashok Patel :- +91 98794 81671
: Arjun Patel :- +91 98259 14268

E-mail : nexceraindia@gmail.com
: nexceraexport@gmail.com

Web : www.nexcera.com

Follow us on:

